WPI / DERWENT

- AN 2002-597520 [64]
- AP TW19980121741 19981228
- PR TW19980121741 19981228
- TI Hot key definition system and method used in a window operating system and started with the window operating system so as to accomplish setting and modifying the hot keys
- IW HOT KEY DEFINE SYSTEM METHOD WINDOW OPERATE SYSTEM START WINDOW OPERATE SYSTEM SO ACCOMPLISH SET MODIFIED HOT KEY
- PA (KYES-N) KYE SYSTEMS CORP
- PN TW468109 A 20011211 DW200264 G06F13/24 000pp
- IC G06F13/24
- AB TW468109 NOVELTY There is provided a hot key definition system and method for being used in a window operating system and started with the window operating system. The hot key definition system is composed of an input module, a starting module, a definition module, and an execution module. The input module can receive the input from the mouse and keyboard. The starting module can be enabled based on the control key of the keyboard, thereby opening the user interface.
 - DETAILED DESCRIPTION The user interface has a plurality of input items corresponding to the function keys of the keyboard, respectively. When the mouse selects an input item, the definition module can open the definition interface of corresponding function key to establish a link with the assigned application. Alternatively, when the mouse drags a short cut to an input item, a link with the short cut is directly established. module.
 - USE Hot definition used in a Windows operating system.
 - ADVANTAGE When a function key of the keyboard is pressed, the execution module opens or executes a corresponding assigned application or short cut based on the link established by the definition